



**ASPIRE RF™ DIMMERS**



RF9534-NAW with Wallplate

**ASPIRE RF™ Smart Dimmers\***

RF9534__	600W Multi-location Eco-Save Incandescent with LED Display
RF9534-N__	600W/VA Multi-location Incandescent / Magnetic Low-Voltage with LED Display; Neutral Required
RF9535-N__	600W/VA Multi-location Electronic Low-Voltage with LED Display; Neutral Required
RF9536__	1000W Multi-location Eco-Save Incandescent with LED Display
RF9536-N__	1000W/VA Multi-location Incandescent / Magnetic Low-Voltage with LED Display; Neutral Required
RF9537-N__	1000W/VA Multi-location Electronic Low-Voltage and Fluorescent (Mark 10®, Ambistar® and Tu-Wire®) with LED Display; Neutral Required
RF9542__	Non-RF RF Accessory with LED; Compatible with Non-Neutral Smart Dimmers
RF9542-Z__	RF Accessory with LED; Compatible Only with RF Smart Dimmers

\* For ordering, include Cat. No. followed by the color code: Alpine White (AW) Desert Sand (DS); Silver Granite (SG); White Satin (WS). For example: RF9534-NDS

Visit [www.AspireRF.com](http://www.AspireRF.com) for complete product listing.



**ASPIRE® DIMMERS**



9534AW with Wallplate

**ASPIRE® Smart Dimmers \***

9534__	600W/VA Multi-location Incandescent / Magnetic Low-Voltage with LED Display
9535__	600W/VA Multi-location Electronic Low-Voltage with LED Display
9536__	1000W/VA Multi-location Incandescent / Magnetic Low-Voltage with LED Display
9537__	1000W/VA Multi-location Electronic Low-Voltage with LED Display
9542__	Accessory Dimmer with LED for 9534, 9535, 9536, 9537



**ASPIRE® Slide Dimmers\***

9530__	600W/VA Single-Pole and 3-Way Preset Incandescent/Magnetic LV
9538__	600W/VA Single-Pole and 3-Way Preset Lighted Incandescent/Magnetic LV
9531__	600W/VA Single-Pole and 3-Way Preset Electronic Low-Voltage
9539__	600W/VA Single-Pole and 3-Way Preset Lighted Electronic Low-Voltage
9532__	1000W/VA Single-Pole and 3-Way Preset Incandescent/Magnetic LV
9540__	1000W/VA Single-Pole and 3-Way Preset Lighted Incandescent/Magnetic LV
9533__	1000W/VA Single-Pole and 3-Way Preset Electronic Low-Voltage
9541__	1000W/VA Single-Pole and 3-Way Preset Lighted Electronic Low-Voltage
9568__	8A Single-Pole and 3-Way Preset Fluorescent (Mark 10®, Ambistar® and Tu-Wire®)
95687__	8A Single-Pole and 3-Way Preset Fluorescent (Mark 10®), 277V



**ASPIRE® Fan Speed Controls\***

9543__	5A Single-Pole and 3-Way Fully Variable
9544__	1.5A Single-Pole and 3-Way Quiet 3-Speed



\* For ordering, include Cat. No. followed by the color code: Alpine White (AW) Desert Sand (DS); Silver Granite (SG); White Satin (WS). For example: 9530AW

AVAILABLE SUMMER 2010!



9530AW with Wallplate



**DIMMERS**



AIM10-W with Wallplate



DI06P-W with Wallplate



SI06P-W with Wallplate



RI061-W with Wallplate



RAI20-W

**ACCELL Smart Dimmers\***

AIM10-__	1000W/VA Single-Pole/Multi-location Incandescent/Magnetic Low-Voltage with LED Display
AF10-__	8A Single-Pole/Multi-location Fluorescent (Mark 10®, AmbiStar® & Tu-Wire®) with LED Display; Neutral Required
ARD-__	Multi-location Accessory Dimmer for AIM10-X, AF10-X
AMC-__-BP	Color Change Kit for Smart Master Dimmers for AIM10-X, AF10-X
ARC-__-BP	Color Change Kit for Accessory, ARD-X



**DEVINE Dimmers\***

DI06P-__	600W/VA Single-Pole and 3-Way Preset Incandescent / Magnetic Low-Voltage
DI10P-__	1000W/VA Single-Pole and 3-Way Preset Incandescent / Magnetic Low-Voltage
DE06P-__	600W/VA Single-Pole and 3-Way Preset Electronic Low-Voltage
DF8AP-__	8A Single-Pole and 3-Way Preset, Fluorescent (Mark 10®, Ambistar® and Tu-Wire®)
DF8AP7-__	8A Single-Pole and 3-Way Preset Fluorescent (Mark 10®), 277V

AVAILABLE SUMMER 2010



**SKYE Dimmers\***

SI061-__	600W Single-Pole Non-Preset Incandescent
SI06P-__	600W/VA Single-Pole and 3-Way Preset, LED, Incandescent / Magnetic Low-Voltage
SI10P-__	1000W/VA Single-Pole and 3-Way Preset, LED, Incandescent / Magnetic Low-Voltage
SF8AP-__	8A Single-Pole and 3-Way Preset, LED, Fluorescent (Mark 10®, Ambistar® and Tu-Wire®)
SF8AP7-__	8A Single-Pole and 3-Way Preset, LED, Fluorescent (Mark 10®), 277V

AVAILABLE SUMMER 2010



**REACT Dimmers\***

RI061-__	600W Single-Pole Non-Preset Incandescent
RI101-__	1000W Single-Pole Non-Preset Incandescent
RI06P-__	600W Single-Pole and 3-Way Preset Incandescent
RI06PL-__	600W Single-Pole and 3-Way Preset Lighted Incandescent
RKRL-__-BP	Replacement Knob for Rotary Dimmers RI06PL
RKRD-__-BP	Replacement Knob for Rotary Dimmers RI061, RI101 and RI06P



**Architectural Rotary Dimmers\***

RAI10-W	1000W Single-Pole Non-Preset Incandescent
RAI15-W	1500W Single-Pole Non-Preset Incandescent
RAI20-W	2000W Single-Pole Non-Preset Incandescent
RAC1-__	Color Change Kit for RAI10
RAC2-__	Color Change Kit for RAI15 and RAI20



\* For ordering, include Cat. No. followed by the color code: Almond (A); Brown (B); Black (BK); Gray(GY); Ivory (V); Light Almond (LA); White (W). Products may not be available in all colors.



**DIMMERS (CONTINUED)**



TI061-W with Wallplate

**TRACE Dimmers\***

TI061-__	600W Single-Pole and 3-Way Non-Preset Incandescent
TI3101-__	1000W Single-Pole and 3-Way Non-Preset Incandescent
TI061L-__	600W Single-Pole and 3-Way Non-Preset Lighted Incandescent
TI3101L-__	1000W Single-Pole and 3-Way Non-Preset Lighted Incandescent



**FAN SPEED CONTROLS**



DFS15P-W with Wallplate

**DEVINE Fan Speed Controls\***

DFS15P-__	1.5A Single-Pole and 3-Way Preset Quiet 3-Speed
-----------	---



**SKYE Fan Speed Controls\***

SFS15P-__	1.5A Single-Pole and 3-Way Preset Quiet 3-Speed
SFS5-__	5A Single-Pole Fully Variable with Adjustable Trim
SFS5P-__	5A Single-Pole and 3-Way Preset Fully Variable with Adjustable Trim



SFS15P-W with Wallplate

**Combination Fan Speed and Dimming Controls\***

SDC15-__	1.5A/300W Single-Pole Slide 3-Speed Fan Control and Full Range Dimmer
RDC25-__	2.5A/300W Single-Pole Rotary Fully Variable Fan Control and Full Range Dimmer
RDC15-__	1.5A/300W Single-Pole Rotary 4-Speed Fan Control and Full Range Dimmer



**REACT Fan Speed Controls\***

RFS15-__	1.5A Single-Pole Quiet 3-Speed
RFS5-__	5A Single-Pole Fully Variable with Adjustable Trim
RKRC-__-BP	Replacement Knobs for RDC25 and RDC15



RFS5-W with Wallplate

**TRACE Fan Speed Controls\***

TFS5-__	5A Single-Pole Fully Variable
---------	-------------------------------



\* For ordering, include Cat. No. followed by the color code: Almond (A); Brown (B); Black (BK); Gray(GY); Ivory (V); Light Almond (LA); White (W). Products may not be available in all colors.



**OCCUPANCY SENSORS**



OS310U-W with Wallplate



OS310R-W with Wallplate



OS106D1-W with Wallplate



6105W with Wallplate

**Commercial Grade Sensor\***

6119\_\_ 180°, Single-Pole, 900 sq. ft., Fluorescent: 1000W @ 120V; Incandescent: 800W @ 120V; Motor 1/6 HP @ 120V/277VAC



**SAVANT Sensors\***

OS310U-\_\_ Occupancy Switch, Single-Pole & 3-Way, 1000W, Universal, Night Light  
 OS310R-\_\_ Occupancy Dual Switch, Single-Pole & 3-Way, 1000W, Universal, Night Light  
 OS106D1-\_\_ Occupancy Switch, Dimmer, Single-Pole 600W, INC/MLV  
 VS310U-\_\_ Vacancy Switch, Single-Pole & 3-Way, 1000W, Universal, Night Light  
 VS310R-\_\_ Vacancy Dual Switch, Single-Pole & 3-Way, 1000W, Universal, Night Light  
 VS106D1-\_\_ Vacancy Switch, Dimmer, Single-Pole & 600W, INC/MLV  
 SCK1-\_\_-BP Sensor Switch Color Kit  
 SCKR-\_\_-BP Sensor Dual Switch Color Kit  
 SCKD-\_\_-BP Sensor Dimmer Color Kit



**Standard Series Sensors\***

6105\_\_ 150°, Single-Pole, 900 sq. ft., Rapid Start Fluorescent: (2) 30W min. 400W max. @ 120V. Incandescent: 500W @ 120V, Motor: 1/8 HP @ 120V  
 6107\_\_ 150°, 3-Way, 900 sq. ft., Rapid Start Fluorescent: 400W max @ 120V. Incandescent: 500W @ 120V. Motor 1/8 HP @ 120V  
 VSIR04\_\_ Vacancy Switch, 180°, Single-Pole and 3-Way, 450 sq. ft., Fluorescent: 400W @ 120V; Incandescent: 500W @ 120V; Motor 1/8 HP @ 120V



**WALLPLATES**



PJS26W



PJS1W

**Decorator Screwless Wallplates\***

PJS26\_\_ 1 Gang Screwless Decorator  
 PJS262\_\_ 2 Gang Screwless Decorator  
 PJS263\_\_ 3 Gang Screwless Decorator  
 PJS264\_\_ 4 Gang Screwless Decorator  
 PJS265\_\_ 5 Gang Screwless Decorator  
 PJS266\_\_ 6 Gang Screwless Decorator

**Toggle Screwless Wallplate\***

PJS1\_\_ 1 Gang Screwless Toggle  
 PJS2\_\_ 2 Gang Screwless Toggle  
 PJS3\_\_ 3 Gang Screwless Toggle  
 PJS4\_\_ 4 Gang Screwless Toggle

**Decorator Mid-Size Wallplates\***

PJ26\_\_ 1 Gang Decorator  
 PJ262\_\_ 2 Gang Decorator  
 PJ263\_\_ 3 Gang Decorator  
 PJ264\_\_ 4 Gang Decorator  
 PJ265\_\_ 5 Gang Decorator  
 PJ266\_\_ 6 Gang Decorator

**Toggle Midsize Wallplate\***

PJ26\_\_ 1 Gang Toggle  
 PJ262\_\_ 2 Gang Toggle  
 PJ263\_\_ 3 Gang Toggle  
 PJ264\_\_ 4 Gang Toggle  
 PJ265\_\_ 5 Gang Toggle  
 PJ266\_\_ 6 Gang Toggle

To see our full line of wallplates, please refer to Section J in the Arrow Hart Catalog.



\* For ordering, include Cat. No. followed by the color code: Almond (A); Brown (B); Black (BK); Gray(GY); Ivory (V); Light Almond (LA); White (W). Products may not be available in all colors.

**United States**

203 Cooper Circle  
 Peachtree City, GA 30269  
 Phone: (866) 853-4293  
 Fax: (800) 329-3055

**Canada**

5925 McLaughlin Road  
 Mississauga, Ontario, L5R 1B8  
 Phone: (800) 267-1042  
 Fax: (800) 761-5748

**Visit our website at:**

[www.CoreLightingControls.com](http://www.CoreLightingControls.com)

Cooper Wiring Devices and Aspire and Aspire RF are registered trademarks of Cooper Industries, plc.  
 © 2009 Cooper Wiring Devices, Inc.